HAZARDOUS MATERIALS TECHNICIAN

COMPETENCY ASSESSMENT CHECK-OFF



North Central Florida Regional Hazardous Materials Response Team

> 2002 EDITION

Introduction

This document has been developed to provide guidance for regularly scheduled competency maintenance of Hazardous Materials Technicians. The psychomotor skills found in the competencies outlined in NFPA 472, OSHA 29CFR1910.120 and the Florida State Emergency Response Commissions Public Sector Hazardous Materials Training Guidelines have been brought together in a series of five operational sections totaling 107 performance based skills.

This document is recommended for initial training of technicians as well as documentation of periodic maintenance. In accordance with OSHA 29 CFR 1910.120(q), the employer is responsible for designating appropriate recertification procedures and the identifying the necessary qualification of those authorized to sign this document indicating successful completion of a competency. Those authorized signers should enter the necessary information in Appendix 1 to properly cross-reference their signature.

Prepared For:

The North Central Florida Regional Hazardous Materials Response Team 2009 Northwest 67th Place, Suite A Gainesville, Florida 32653-1605
Phone: 352-955-2200

Funded By:

Florida Department of Community Affairs Division of Emergency Management 2555 Shummard Oaks Blvd. Tallahassee, Florida 32299 Contract # 02CP-10-12-00-20-115

Prepared By:



2135 West Leewynn Drive • Sarasota, Florida 34240 Phone: (941) 928-4056 • Fax: (941) 378-2478

Copyright © 2002 North Central Florida Regional Hazardous Materials Response Team
This document has been developed by the North Central Florida Regional Hazardous Materials Response Team and the Florida Department of Community Affairs - Division of
Emergency Management. It is intended to aid public sector employers with maintaining the
training requirements of Hazardous Materials Technicians. This document may be duplicated
only in its entirety for non-profit training of public sector responders. Any commercial or "for-profit" reproduction of this program without the advanced written permission of the Florida
Department of Community Affairs is strictly prohibited.

Table of Contents

- Section 1: Incident Command
 1.1 Roles and ICS
- Section 2: Hazard/Risk Assessment
 - 2.1 Air Monitoring
 - 2.2 Field Chemical Analysis
 - 2.3 Science and Research
 - 2.4 Container Assessment
 - 2.5 Estimation of Behavior and Harm
- Section 3: Protective Measures
 - 3.1 Personal Protective Equipment
 - 3.2 Zones and Control Areas
 - 3.3 Decontamination
 - 3.4 Medical
- Section 4: Action Options
 - 4.1 Incident Safety
 - 4.2 Spill Control
 - 4.3 Leak Control
 - 4.4 Fire Control
- Section 5: Incident Termination
 - 5.1 Termination and Documentation

Appendix

- 1 Instructor Cross Reference
- 2 NFPA 472 and OSHA Competency Crosswalk

COMPETENCY CHECKLIST INCIDENT COMMAND AND TECHNICIAN ROLES

Date: ____/____

Technician:

	AREA 1.1 TECHNICIAN ROLES AND THE INCIDENT	COMMAND SYST	EM
No.	Requirement		
1.1.1	The technician has demonstrated an understanding of his role as a during an actual or simulated hazardous materials emergency.	(Signature)	// (Date)
1.2.1	The technician has demonstrated an understanding of the roles, responsibilities and interrelationship between the various hazardous materials functions within the ICS management system as called for by the employers hazardous materials emergency response plan (ERP). These roles should include backup, decontamination, entry, safety officer(s), haz-mat group and/or branch, science, site access control, technical specialists.		
1.2.2	Demonstrate the ability to perform the duties of any assigned position within the hazardous materials	(Signature)	(Date)
	group or branch.	(Signature)	(Date)
	Evaluator Remarks		
	_		
		(Signature)	(Date)

COMPETENCY CHECKLIST INCIDENT COMMAND AND TECHNICIAN ROLES

COMPETENCY CHECKLIST HAZARD/RISK ASSESSMENT PROCEDURES

The following air monitoring competencies should be demonstrated in a controlled environment such as skill stations or simulated incidents: AREA 2.1 HAZARD AND RISK ASSESSMENT — AIR MONITORING, SAMPLE COLLECTION & QUALITATIVE ANALYSIS No. Requirement 2.1.1 Given various written scenarios, demonstrate the ability to select the appropriate air monitoring instrument(s) necessary for the qualitative and quantitative analysis of the potentially hazardous environment caused by airborne gases or vapors. 2.1.2 Given air monitoring devices provided by the employer, demonstrate the ability to complete the following: 1) determine the inherent safety rating of the instrument and 2) properly start and prepare the instrument for operation in accordance with manufacturer recommendations. 2.1.3 Demonstrate proper field maintenance of all air monitoring devices provided by the employer in accordance with the employer's written air monitoring equipment plan and the recommendations of the manufacturer. 2.1.4 Given a simulated incident involving an unidentified hazardous material and equipment provided by the employer, demonstrate the ability to properly conduct air monitoring including proper: 1) monitoring sequence, 2) approach, 3) sampling patterns, 4) selection of elevations and, 5) speed and interpret the instrument readings. 2.1.5 Given controlled skill stations with live samples, demonstrate proper reading and interpretation of including indiffication of potential false negatives and positives, for each of following types of air monitoring instruments: [] phi indicators or meters, [] radiation survey instruments, [] personal alarms and [] dosimeters, [] combustible gas indicators, [] electro chemical gas monitors, [] color-metric detectors tubes and/or badges, [] photo-ionization detectors, [] lifame-ionization detectors, [] lifame-ionization detectors, [] lifame-ionization detectors, [] flame-ionization detectors, [] flame-ionization detectors, [] respective flame-ionization detectors, [] respective	Techni	cian:	Date:/	'/
No. Requirement 2.1.1 Given various written scenarios, demonstrate the ability to select the appropriate air monitoring instrument(s) necessary for the qualitative and quantitative analysis of the potentially hazardous environment caused by airborne gases or vapors. 2.1.2 Given air monitoring devices provided by the employer, demonstrate the ability to complete the following: 1) determine the inherent safety rating of the instrument and 2) properly start and prepare the instrument for operation in accordance with manufacturer recommendations. 2.1.3 Demonstrate proper field maintenance of all air monitoring devices provided by the employer in accordance with the employer's written air monitoring equipment plan and the recommendations of the manufacturer. 2.1.4 Given a simulated incident involving an unidentified hazardous material and equipment provided by the employer, demonstrate the ability to properly conduct air monitoring including proper: 1) monitoring sequence, 2) approach, 3) sampling patterns, 4) selection of elevations and, 5) speed and interpret the instrument readings. 2.1.5 Given controlled skill stations with live samples, demonstrate proper reading and interpretation of including indiffication of potential flashe negatives and positives, for each of following types of air monitoring instruments: [] pl Hindicators or meters, [] radiation survey instruments, [] personal alarms and [] dosimeters, [] oxygen concentration instruments. [] combustible gas indicators, [] electro chemical gas monitors, [] ploto-ionization detectors, [] flame-ionization detectors, [] color-metric detectors detectors and contents and color and contents and color and col			ated in a controlled enviro	nment such as
No. Requirement 2.1.1 Given various written scenarios, demonstrate the ability to select the appropriate air monitoring instruments (s) necessary for the qualitative and quantitative analysis of the potentially hazardous environment caused by airborne gases or vapors. 2.1.2 Given air monitoring devices provided by the employer, demonstrate the ability to complete the following: 1) determine the inherent safety rating of the instrument and 2) properly start and prepare the instrument for operation in accordance with manufacturer recommendations. 2.1.3 Demonstrate proper field maintenance of all air monitoring devices provided by the employer in accordance with the employer's written air monitoring equipment plan and the recommendations of the manufacturer. 2.1.4 Given a simulated incident involving an unidentified hazardous material and equipment provided by the employer, demonstrate the ability to properly conduct air monitoring including proper: 1) monitoring sequence, 2) approach, 3) sampling patterns, 4) selection of elevations and, 5) speed and interpret the instrument readings. 2.1.5 Given controlled skill stations with live samples, demonstrate proper reading and interpretation of including indification of potential false negatives and positives, for each of following types of air monitoring instruments: [] ph indicators or meters, [] radiation survey instruments, [] personal alarms and [] dosimeters, [] oxygen concentration instruments. [] oxygen concentration instruments. [] color-metric detectors tubes and/or badges, [] photo-ionization detectors, [] fliame-ionization detectors, [] IR Spectrometry and [] Libert instruments reviewed by the membours in the proper membours in the prop				
2.1.1 Given various written scenarios, demonstrate the ability to select the appropriate air monitoring instrument(s) necessary for the qualitative and quantitative analysis of the potentially hazardous environment caused by airborne gases or vapors. 2.1.2 Given air monitoring devices provided by the employer, demonstrate the ability to complete the following: 1) determine the inherent safety rating of the instrument and 2) properly start and prepare the instrument for operation in accordance with manufacturer recommendations. 2.1.3 Demonstrate proper field maintenance of all air monitoring devices provided by the employer in accordance with the employer's written air monitoring equipment plan and the recommendations of the manufacturer. 2.1.4 Given a simulated incident involving an unidentified hazardous material and equipment provided by the employer, demonstrate the ability to properly conduct air monitoring including proper: 1) monitoring sequence, 2) approach, 3) sampling patterns, 4) selection of elevations and, 5) speed and interpret the instrument readings. 2.1.5 Given controlled skill stations with live samples, demonstrate proper reading and interpretation of including indification of potential false negatives and positives, for each of following types of air monitoring instruments: [] pH indicators or meters, [] radiation survey instruments, [] personal alarms and [] dosimeters, [] oxygen concentration instruments, [] combustible gas indicators, [] electro chemical gas monitors, [] ypoto-ionization detectors, [] IR Spectrometry and [] to the instrument regrided by the employer in the proper reading and interpretation the proper reading and interpretation the proper reading and interpretation and the proper reading and interpretation and the proper reading and interpretation of including indiffication survey instruments, [] oxygen concentration instruments, [] oxygen concentration instruments, [] oxygen concentration detectors, [] IR Spectrometry and [] oxygen concentration detectors the sand/or b	HAZA		-	OLLECTION
ability to select the appropriate air monitoring instrument(s) necessary for the qualitative and quantitative analysis of the potentially hazardous environment caused by airborne gases or vapors. 2.1.2 Given air monitoring devices provided by the employer, demonstrate the ability to complete the following: 1) determine the inherent safety rating of the instrument and 2) properly start and prepare the instrument for operation in accordance with manufacturer recommendations. 2.1.3 Demonstrate proper field maintenance of all air monitoring devices provided by the employer in accordance with the employer's written air monitoring equipment plan and the recommendations of the manufacturer. 2.1.4 Given a simulated incident involving an unidentified hazardous material and equipment provided by the employer, demonstrate the ability to properly conduct air monitoring including proper: 1) monitoring sequence, 2) approach, 3) sampling patterns, 4) selection of elevations and, 5) speed and interpret the instrument readings. 2.1.5 Given controlled skill stations with live samples, demonstrate proper reading and interpretation of including indiffication of potential false negatives and positives, for each of following types of air monitoring instruments: [] pH indicators or meters, [] radiation survey instruments, [] personal alarms and [] dosimeters, [] oxygen concentration instruments; [] combustible gas indicators, [] electro chemical gas monitors, [] color-metric detectors tubes and/or badges, [] photo-ionization detectors, [] IR Spectrometry and [] Lather instruments provided by the employer or specified by	No.	Requirement		
2.1.2 Given air monitoring devices provided by the employer, demonstrate the ability to complete the following: 1) determine the inherent safety rating of the instrument and 2) properly start and prepare the instrument for operation in accordance with manufacturer recommendations. 2.1.3 Demonstrate proper field maintenance of all air monitoring devices provided by the employer in accordance with the employer's written air monitoring equipment plan and the recommendations of the manufacturer. 2.1.4 Given a simulated incident involving an unidentified hazardous material and equipment provided by the employer, demonstrate the ability to properly conduct air monitoring including proper: 1) monitoring sequence, 2) approach, 3) sampling patterns, 4) selection of elevations and, 5) speed and interpret the instrument readings. 2.1.5 Given controlled skill stations with live samples, demonstrate proper reading and interpretation of including indiffication of potential false negatives and positives, for each of following types of air monitoring instruments: [] pH indicators or meters, [] radiation survey instruments, [] personal alarms and [] dosimeters, [] oxygen concentration instruments, [] combustible gas indicators, [] electro chemical gas monitors, [] color-metric detectors tubes and/or badges, [] photo-ionization detectors, [] If Spectrometry and [] other instruments rewided by the employer of the monitoring instruments and the provided by the employer of the monitoring of the provided by the employer of the monitoring of the provided by the employer of the monitoring of the provided by the employer of the monitoring of the provided by the employer of the monitoring of the provided by the employer of the monitoring of the provided by the employer of the monitoring of the provided by the employer of the monitoring of the provided by the employer of the monitoring of the provided by the employer of the monitoring of the provided by the employer of the monitoring of the provided by the employer of the p	2.1.1	ability to select the appropriate air monitoring instrument(s) necessary for the qualitative and quantitative analysis of the potentially hazardous	(Signature)	<i>//</i> (Date)
2.1.3 Demonstrate proper field maintenance of all air monitoring devices provided by the employer in accordance with the employer's written air monitoring equipment plan and the recommendations of the manufacturer. 2.1.4 Given a simulated incident involving an unidentified hazardous material and equipment provided by the employer, demonstrate the ability to properly conduct air monitoring including proper: 1) monitoring sequence, 2) approach, 3) sampling patterns, 4) selection of elevations and, 5) speed and interpret the instrument readings. 2.1.5 Given controlled skill stations with live samples, demonstrate proper reading and interpretation of including indification of potential false negatives and positives, for each of following types of air monitoring instruments: [] pH indicators or meters, [] radiation survey instruments, [] personal alarms and [] dosimeters, [] oxygen concentration instruments, [] combustible gas indicators, [] electro chemical gas monitors, [] color-metric detectors tubes and/or badges, [] photo-ionization detectors, [] IR Spectrometry and [] Lether instruments provided by the employer in accordance with	2.1.2	employer, demonstrate the ability to complete the following: 1) determine the inherent safety rating of the instrument and 2) properly start and prepare the instrument for operation in	,	1.1
monitoring devices provided by the employer in accordance with the employer's written air monitoring equipment plan and the recommendations of the manufacturer. 2.1.4 Given a simulated incident involving an unidentified hazardous material and equipment provided by the employer, demonstrate the ability to properly conduct air monitoring including proper: 1) monitoring sequence, 2) approach, 3) sampling patterns, 4) selection of elevations and, 5) speed and interpret the instrument readings. 2.1.5 Given controlled skill stations with live samples, demonstrate proper reading and interpretation of including indification of potential false negatives and positives, for each of following types of air monitoring instruments: [] pH indicators or meters, [] radiation survey instruments, [] personal alarms and [] dosimeters, [] oxygen concentration instruments, [] combustible gas indicators, [] electro chemical gas monitors, [] color-metric detectors tubes and/or badges, [] photo-ionization detectors, [] IR Spectrometry and [] other persurents required by the employer.		accordance with manufacturer recommendations.	(Signature)	(Date)
unidentified hazardous material and equipment provided by the employer, demonstrate the ability to properly conduct air monitoring including proper: 1) monitoring sequence, 2) approach, 3) sampling patterns, 4) selection of elevations and, 5) speed and interpret the instrument readings. 2.1.5 Given controlled skill stations with live samples, demonstrate proper reading and interpretation of including indification of potential false negatives and positives, for each of following types of air monitoring instruments: [] pH indicators or meters, [] radiation survey instruments, [] personal alarms and [] dosimeters, [] oxygen concentration instruments, [] combustible gas indicators, [] electro chemical gas monitors, [] color-metric detectors tubes and/or badges, [] photo-ionization detectors, [] IR Spectrometry and [] above instruments provided by the employer.	2.1.3	monitoring devices provided by the employer in accordance with the employer's written air monitoring equipment plan and the	(Signature)	<i>//</i> (Date)
2.1.5 Given controlled skill stations with live samples, demonstrate proper reading and interpretation of including indification of potential false negatives and positives, for each of following types of air monitoring instruments: [] pH indicators or meters, [] radiation survey instruments, [] personal alarms and [] dosimeters, [] oxygen concentration instruments, [] combustible gas indicators, [] electro chemical gas monitors, [] color-metric detectors tubes and/or badges, [] photo-ionization detectors, [] flame-ionization detectors, [] IR Spectrometry and [] other instruments provided by the ampleyer.	2.1.4	unidentified hazardous material and equipment provided by the employer, demonstrate the ability to properly conduct air monitoring including proper: 1) monitoring sequence, 2) approach, 3) sampling patterns, 4) selection of elevations and,		1.1
demonstrate proper reading and interpretation of including indification of potential false negatives and positives, for each of following types of air monitoring instruments: [] pH indicators or meters, [] radiation survey instruments, [] personal alarms and [] dosimeters, [] oxygen concentration instruments, [] combustible gas indicators, [] electro chemical gas monitors, [] color-metric detectors tubes and/or badges, [] photo-ionization detectors, [] flame-ionization detectors, [] IR Spectrometry and [] other instruments provided by the ampleyer []		5) speed and interpret the instrument readings.	(Signature)	(Date)
[]	2.1.5	demonstrate proper reading and interpretation of including indification of potential false negatives and positives, for each of following types of air monitoring instruments: [] pH indicators or meters, [] radiation survey instruments, [] personal alarms and [] dosimeters, [] oxygen concentration instruments, [] combustible gas indicators, [] electro chemical gas monitors, [] color-metric detectors tubes and/or badges, [] photo-ionization detectors, [] flame-ionization detectors, [] IR Spectrometry and		

(Signature)

(Date)

COMPETENCY CHECKLIST HAZARD/RISK ASSESSMENT PROCEDURES

AREA 2.1 HAZARD AND RISK ASSESSMENT - AIR MONITORING, SAMPLE COLLECTION & QUALITATIVE ANALYSIS No. Requirement 2.1.6 Demonstrate the ability to properly document air monitoring activities in accordance with the employer's emergency response plan. (Signature) (Date) 2.1.7 Properly describe to the assessor the differences between 1) instrument calibration, 2) field calibration check, 3) spanning and 4) bump test, as well as the applicability for each process. (Signature) (Date) 2.1.8 Given an unknown gas or vapor, demonstrate the ability to identify or classify the material by hazard using air monitoring instruments. (Signature) (Date) 2.1.9 Demonstrate the ability to obtain an air sample for off-site analysis using equipment and procedures provided by the employer. (Signature) (Date) Demonstrate the ability to document sample 2.1.10 collection procedures and the chain of custody in a manner consistent with law enforcement evidence gathering procedures. (Signature) (Date) **Evaluator Remarks** (Signature) (Date)

Date: ____/___

Technician:

	AREA 2.2 HAZARD/RISK ASSESSMENT – FIELD C	HEMICAL ANALYS	SIS
No.	Requirement		
2.2.1	Demonstrate the ability to select and establish a suitable location for the field chemical analysis of solid, liquid or gas samples being recovered from		1.1
	the isolation area for cold zone analysis.	(Signature)	(Date)
2.2.2	Given two unidentified samples (one solid and one liquid) and, using the procedures identified by the employer, the technician will demonstrate the ability to properly perform a field chemical analysis process necessary to identify or classify		
	the hazards of the material.	(Signature)	<i>//</i> (Date)
2.2.3	Demonstrate the ability to maintain a safe, clean and orderly field chemical analysis work area	, ,	1.1
	during all analysis procedures.	(Signature)	(Date)
2.2.4	Demonstrate the ability to properly document the field chemical analysis procedures used and		1 1
	results obtained.	(Signature)	(Date)
	Evaluator Remarks		
	-		
		(Signature)	(Date)

HAZARD/RISK ASSESSMENT

ı ecnni	cian:	Date:/	/		
	owing hazard/risk assessment competencies should be a ed incidents.	ssessed during tabletop	exercises or		
	AREA 2.3 HAZARD/RISK ASSESSMENT – SCIENCE AND RESEARCH				
No.	Requirement				
2.3.1	Given no less than 5 incident scenarios, demonstrate the ability to select the reference sources or databases necessary to complete a hazard/risk assessment of the involved materials.	(Signature)	<i>//</i> (Date)		
2.3.2	Given no less than 5 incident scenarios, demonstrate the ability to obtain from employer provided reference materials and databases the information necessary to assess the hazards of given materials. This assessment shall include: 1) information concerning material identity and environmental reporting requirements, 2) physical and chemical characteristics, 3) flammability or combustibility, 4) toxicity information including all published exposure limits, 5) reactivity and radioactivity data, fire leak and spill control considerations, and 6) proper packaging and disposal procedures.	(Signature)			
2.3.3	Given incident scenarios including research data and data from air monitoring instruments, the technician will demonstrate the ability to assess the risks to response personnel and the public.	(Signature)			
2.3.4	Given 5 hazardous materials scenarios, the technician will determine the signs and symptoms	(Oignataro)	(2d.6)		
	of over-exposure to the materials involved.	(Signature)	(Date)		
2.3.5	Given 2 hazardous materials scenarios involving multiple hazardous substances, the technician shall rank the materials with regards to anticipated level of risk.				
		(Signature)	(Date)		
2.3.6	Given equipment provided by the employer, demonstrate the ability to setup real time surface				

(Signature)

(Date)

meteorological monitoring capabilities and properly to interface the equipment with computers used for dispersion modeling.

AREA 2.3 HAZARD/RISK ASSESSMENT – SCIENCE AND RESEARCH				
No.	Requirement			
2.3.7	Given the quantity, concentration and rate of release of a material, the technician shall demonstrate the ability to model and predict dispersion patterns and necessary evacuation areas using employer provided databases and computer modeling software.			
	computer modeling software.	(Signature)	(Date)	
2.3.8	Given the quantity, concentration and rate of release of a material, the technician shall demonstrate the ability to assess potential shelter		1 1	
	in-place options.	(Signature)	(Date)	
2.3.9	Demonstrate the ability to predict the necessary evacuation area for a leak from a domestic gas line and develop an air-monitoring plan necessary		1.1	
	to validate those predicted areas.	(Signature)	(Date)	
2.3.10	Given equipment provided by the employer, demonstrate the ability to: 1) access the internet by remote or other available field means and 2) establish field capabilities to send and receive facsimile transmissions, establish verbal communications with the community's Emergency Operations Center, local medical facilities and the		1 1	
	Florida State Warning Point .	(Signature)	(Date)	
	Evaluator Remarks			
	_			
1		(Signature)	(Date)	

Date: ____/___

Technician:

	AREA 2.4		
	HAZARD/RISK ASSESSMENT - CONTA	INER ASSESSMEN	IT
No.	Requirement		
2.4.1	Given various fixed, transportation and portable containers, the technician shall demonstrate the abilities to identify the container type and potential materials carried or stored within the container.	(0)	
		(Signature)	(Date)
2.4.2	Given a scenario involving a container, demonstrate the ability to determine the pressure and remaining lading within the container.		
	and remaining lading within the container.	(Signature)	(Date)
2.4.3	Given a scenario involving a highway transportation container with appropriate specification plates, determine the type, capacity and construction characteristics of the container necessary to conduct a container damage		1 1
	assessment. —	(Signature)	(Date)
2.4.4	Given a simulated incident with damaged containers, demonstrate the ability to collect information necessary for completion of a		
	container damage assessment.	(Signature)	(Date)
2.4.5	Given a simulated incident involving containers, demonstrate the ability to differentiate between		1 1
	liquid and vapor lines.	(Signature)	(Date)
	Evaluator Remarks	-	
	_		
		(Signature)	(Date)

Date: ____/___

Technician:

	AREA 2.5		
	AZARD/RISK ASSESSMENT – ESTIMATION (OF BEHAVIOR ANI) HARM
No.	Requirement		
2.5.1	Given a simulated incident or written scenario while acting in a Research Group function, the technician shall demonstrate the ability to develop an estimation of potential behavior and harm		1 1
	caused by the hazardous material(s).	(Signature)	(Date)
2.5.2	Given various scenarios, the technician will demonstrate the ability to properly perform a vapor dispersion model using computer-modeling equipment and software provided by the		
	employer.	(Signature)	// (Date)
2.5.3	Given a simulated incident and while operating in chemical protective clothing, demonstrate the ability to recognize potential IDLH conditions.		` <i>'</i>
	ability to recognize peterman in Entreenment	(Signature)	(Date)
2.5.4	While operating in chemical protective clothing at a simulated incident, the technician will, based upon risk/benefit analysis, demonstrate the ability to minimize or avoid exposure to areas that would		1.1
	present the highest hazards.	(Signature)	<i></i> // (Date)
	Evaluator Remarks		
	_		
		(Signature)	(Date)

Date: ____/___

Technician:

	AREA 3.1 PROTECTIVE MEASURES – PERSONAL P	ROTECTIVE EQUIPM	/IENT
No.	Requirement		
	GARMENT SELECTION		
3.1.1	Given at least 3 scenarios with both known and unknown hazardous materials with a defined plan of action and entry mission, the technician will demonstrate the ability to select the appropriate PPE ensemble for the completion of that mission.	(Signature)	<i>//</i> (Date)
3.1.2	Given at least 3 chemical compounds and garments provided by the employer, demonstrate the ability to determine garment fabric compatibility in accordance with manufacturer recommendations.	(Signature)	<i>//</i> (Date)
3.1.3	Given an identified mission and ensemble as well as a selection of all the employer's provided personal protective equipment, the technician will select the items necessary to properly assemble a complete protective ensemble in accordance with the employer's emergency response plan. This shall include: all respiratory protective equipment, dermal protective equipment, accessory safety equipment, communications equipment and work tools.	(Signature)	//_ (Date)
3.1.4	Having selected the appropriate respiratory protective equipment and chemical protective garment, the technician shall demonstrate the ability to properly perform a pre-donning safety check of the equipment. This shall include a visual inspection of the garment for at least three indicators of fabric degradation or for signs of physical damage.	(Signature)	

AREA 3.1 PROTECTIVE MEASURES – PERSONAL PROTECTIVE EQUIPMENT No. Requirement Personal Protective Equipment Use Given appropriate PPE as provided by the 3.1.5 employer and in accordance with the employer's emergency response plan, the technician will demonstrate the ability to donn, work-in and doff liquid splash protective garments and any other associated PPE. (Signature) (Date) 3.1.6 Given appropriate PPE as provided by the employer and in accordance with the employer's emergency response plan, the technician will demonstrate the ability to donn, work-in and doff vapor-protective garments and any other associated PPE. (Signature) (Date) 3.1.7 Given a situation in which the technician is operating in a simulated IDLH environment while wearing chemical protective clothing, the technician will demonstrate the ability to perform emergency procedures for: 1) garment breach, 2) low air supply alarm, 3) SCBA failure, 4) loss or disorientation and 5) partner emergency. (Signature) (Date) 3.1.8 Given an emergency situation, the technician will demonstrate the ability to communicate the emergency situation in accordance with the employer's emergency response plan. This shall include verbal and non-verbal means (e.g. hand signals). (Signature) (Date) 3.1.9 While operating in chemical protective clothing within a simulated hazardous environment, the technician shall demonstrate the ability to take actions that would limit garment contamination to the extent feasible. (Signature) (Date) **Protective Garment Maintenance** 3.1.10 Given a chemical protective garment during routine maintenance and testing, the technician will demonstrate the ability to thoroughly inspect the garment for signs of degradation and physical damage. (Signature) (Date)

AREA 3.1 PROTECTIVE MEASURES – PERSONAL PROTECTIVE EQUIPMENT				
No.	Requirement			
3.1.11	Given a vapor protective garment provided by the employer and testing equipment recommended by the manufacturer, the technician will demonstrate the ability to perform a qualitative leak test on the garment in accordance with manufacturer instructions.	(Signature)		
		(Signature)	(Date)	
3.1.12	Given a vapor protective garment similar to those provided by the manufacturer, the technician will demonstrate the ability to properly locate a garment leak and take appropriate maintenance/repair actions (which may include returning the garment to the manufacturer) in accordance with the employer's personal protective equipment plan.			
	protective equipment plan.	(Signature)	(Date)	
3.1.13	Given appropriate suit testing and maintenance log, the technician will demonstrate the ability to properly document a qualitative leak test and		1.1	
	repairs.	(Signature)	(Date)	
	Evaluator Remarks			
		(Signature)	(Date)	

Technician:

Date: ____/___

	AREA 3.2	AND ODED ATION A	ADEAC
No.	Requirement	AND OPERATIONAL	. AREAS
3.2.1	Given a simulated hazardous materials incident and a completed hazard/risk assessment, the technician will demonstrate the ability to establish a visible control zone in accordance with the employer's emergency response plan.	(Signature)	<i>//</i> _ (Date)
3.2.2	Given a hazardous materials incident scenario and a completed hazard/risk assessment, the technician will recommend appropriate isolation and protective action distances and communicate those recommendations to the appropriate supervisor.		
3.2.3	Given a simulated incident, the technician will demonstrate the ability to properly maintain control zones in accordance with the site safety	(Signature)	(Date)
	plan and the employer's emergency response plan.		
		(Signature)	(Date)
	Evaluator Remarks		
		(Signature)	(Date)

Technician:	Date://
-------------	---------

A combination of simulated incidents and tabletop activities with supporting photographs or other media can be used to demonstrate these competencies.

	AREA 3.3 PROTECTIVE MEASURES – DEC	CONTAMINATION	
No.	Requirement		
3.3.1	The technician will demonstrate the ability to acquire information concerning proper decontamination procedures from at least three reference sources	(Signature)	/_/_ (Date)
3.3.2	Given at least two hazardous materials incident scenarios and a completed hazard/risk assessment, the technician will demonstrate the ability to select an appropriate decontamination procedure and determine the equipment necessary to implement that procedure.	(Signature)	/_/_ (Date)
3.3.3	The technician will demonstrate the ability to take actions necessary to minimize contamination of personnel and equipment during isolation area operations.	(e.g. a.c. e)	(2 3.13)
3.3.4	Given a simulated hazardous materials incident, demonstrate the ability to select an appropriate location for the establishment of a contamination reduction corridor.	(Signature)	// (Date)
3.3.5	Given a simulated hazardous materials incident and while working as a member of a decontamination team, the technician will demonstrate the ability to setup the contamination reduction corridor necessary for the appropriate procedure.	(Signature)	//(Date)
3.3.6	Given a simulated hazardous materials incident and while functioning as a member of the decontamination team, the technician will demonstrate the ability to perform decontamination on response personnel exiting the isolation area.		
3.3.7	The technician will demonstrate the ability to perform emergency decontamination procedures for both a contaminated responder and a non-ambulatory victim of a hazardous materials incident in accordance with the employer's emergency response plan.	(Signature)	(Date)
	aniargana, raapanaa piani	(Signature)	(Date)

AREA 3.3 PROTECTIVE MEASURES – DECONTAMINATION			
No.	Requirement		
3.3.8	Given a stable, non-ambulatory victim of a simulated hazardous materials incident, demonstrate the ability to properly perform gross and secondary decontamination procedures for this patient.	(Circottura)	
3.3.9	The technician will demonstrate the ability to minimize cross contamination and the extension contamination beyond the decontamination area by properly implementing: a) decontamination area security, b) personnel and equipment flow patterns and c) run-off, slop-over and over-spray minimization procedures.	(Signature)	(Date)(Date)
3.3.10	The technician will demonstrate an ability to control, contain and containerize excessive run-off materials generated during the decontamination process.	(Signature)	
3.3.11	The technician will demonstrate an understanding of the procedures to be used for the decontamination of non-expendable equipment in accordance with the employer's emergency	,	
3.3.12	response plan. The technician will demonstrate the ability to properly document the decontamination procedures taken during a simulated incident.	(Signature)	(Date)
	Evaluator Remarks	(Signature)	(Date)
	_		
		(Signature)	(Date)

Technician:	Date://
-------------	---------

AREA 3.4 PROTECTIVE MEASURES – MEDICAL			
No.	Requirement		
3.4.1	Given a simulated or tabletop scenario, the technician will identify the proper EMS components necessary to managing the responder health issues at the incident scene.	(Signature)	// (Date)
3.4.2	Given a simulated hazardous material incident, the responder will describe the function of the Medical Group within the incident command structure in accordance with the employer's emergency response plan and operational		1.1
	procedures.	(Signature)	(Date)
3.4.3	Given a simulated incident or tabletop scenario and necessary meteorological condition information, the technician will demonstrate the ability to calculate the heat or cold stress index for		1 1
	operating personnel.	(Signature)	(Date)
3.4.4	Given a simulated hazardous materials incident and while operating in the roll of safety, EMS or rehab, the technician will identify the importance		1 1
	of appropriate rehabilitation efforts.	(Signature)	(Date)
3.4.5	The technician will identify the pre-entry medical considerations as outlined by the employer's emergency response plan and operational		
	procedures.	(Signature)	// (Date)
3.4.6	Given a simulated incident or tabletop scenario with an onsite emergency involving a significant exposure of an emergency responder, the technician will demonstrate an understanding of the necessary decontamination, emergency medical care and follow-up medical procedures as		
	identified by the employer's emergency response plan.	(Cignotium)	
	•	(Signature)	(Date)

AREA 3.4 PROTECTIVE MEASURES – MEDICAL			
No.	Requirement		
3.4.7	Given a simulated onsite medical emergency involving either a responder or victim, the technician will demonstrate the ability to provide appropriate emergency medical aid to the level of care identified by the employer's emergency response plan.	(Signature)	<i>/</i> (Date)
	Evaluator Remarks		
		(Signature)	(Date)

Technician:	 Date://	<u></u>

A combination of simulated incidents and tabletop activities with necessary supporting media can be used to demonstrate action option competencies.

AREA 4.1 ACTION OPTIONS – INCIDENT SAFETY			
No.	Requirement		
4.1.1	Given a simulated transportation and fixed facility incident, identify potential strategic control strategies for the incident.	(Signature)	/_/_ (Date)
4.1.2	Given simulated incidents in transport and fixed facilities and while serving in a safety role, participate in a planning session that identifies possible intervention/non-intervention, defensive		1.1
	and offensive action options.	(Signature)	(Date)
4.1.3	Given a simulated transportation or fixed facility incident and while serving as "HazMat Group Safety", develop a site specific safety plan in accordance with the employer's emergency response plan. The plan shall identify all foreseeable incident hazards and		1.1
	recommendations for feasible corrective actions.	(Signature)	(Date)
4.1.4	The technician, given a simulated hazardous materials incident (both table top and field simulation), will demonstrate the ability to develop an incident safety plan that is consistent with the employer's emergency response plan, operational procedures and information gained during the hazard/risk assessment phase of the incident.		
	nazard/nak assessment phase of the incident.	(Signature)	(Date)
4.1.5	Given a simulated hazardous materials incident and while serving as "HazMat Group Safety", the technician will communicate to the incident commander or the overall incident safety officer the safety considerations for inclusion in the		1 1
	overall incident plan of action.	(Signature)	(Date)
4.1.6	Given a simulated hazardous materials incident and while serving as "HazMat Group Safety", demonstrate the ability provide an onsite safety		
	briefing.	(Signature)	<i>//</i> (Date)
		(5.5.74.4.5)	(5410)

AREA 4.1 ACTION OPTIONS – INCIDENT SAFETY			
No.	Requirement		
4.1.7	Given a simulated hazardous materials incident and while serving as "HazMat Group Safety", the technician will identify those pre-entry activities that must take place to insure responder safety.	(0)	
4.1.8	The technician, serving as "HazMat Group Safety" during a simulated incident, will demonstrate the ability to monitor the incident for operations that are consistent with the plan of action and the	(Signature)	(Date)
	incident safety plan.	(Signature)	(Date)
4.1.9	The technician, while serving as "HazMat Group Safety" will demonstrate the ability to appropriately suspend, alter or terminate operations as necessary due to unsafe conditions		
	or practices and to notify command of any such actions.	(Signature)	<i>//</i> (Date)
4.1.10	Given a simulated hazardous materials incident and while serving as "HazMat Group Safety", the technician will insure that an appropriate hazard communication briefing is provided to all potentially exposed responders prior to leaving	(Olgitature)	(Date)
	the scene.	(Signature)	(Date)
	Evaluator Remarks		
		(Signature)	(Date)

Techni	cian:	Date:/	/
	ption competencies should be assessed during field events emergencies.	olutions involving simulate	ed hazardous
	AREA 4.2 ACTION OPTIONS – SPILL	CONTROL	
No.	Requirement		
4.2.1	Given an incident involving a flowing liquid spill, demonstrate the ability to perform an assessment of the spill to the extent necessary to develop a spill control plan.	(Signature)	/_/_ (Date)
4.2.2	Given a simulated hazardous materials incident involving a release of materials from both bulk and non-bulk containers, demonstrate the ability to develop a spill control plan and identify which spill control activities are defensive in nature and which spill control measures would be considered offensive in nature.	(0':	
4.2.3	Given a simulated hazardous materials incident involving a release from bulk and non-bulk containers, demonstrate the ability to properly select the necessary tools, equipment and personnel to perform defensive and offensive spill control activities.	(Signature)	(Date)
4.2.4	Given a simulated hazardous materials incident involving a spill, demonstrate the ability to supervise an operational level team in the performance of defensive spill control measures.	(Signature)	/_/_ (Date)
4.2.5	Given a simulated hazardous materials incident, a spill control plan and proper PPE, demonstrate the ability to perform offensive spill control procedures where direct contact with the product		

(Signature)

(Date)

would be anticipated.

AREA 4.2 ACTION OPTIONS – SPILL CONTROL			
No.	Requirement		
4.2.6	Demonstrate the ability to perform the following spill control measures: a) Dam, dike, divert and retain a liquid/surface and liquid/water spill. b) Properly apply a curtain boom and oiliophilic boom to a liquid/water spill. c) Construct an underflow damn and overflow dam. d) Blanket a liquid or solid/surface spill. e) Ventilate and disperse or enter into an		1 1
	aqueous solution a gas/air spill.	(Signature)	
4.2.7	Given a simulated spill and spill control materials provided by the employer, demonstrate the ability to properly apply those materials in a manner consistent with both manufacturer recommendations and the employer's response		1 1
	plan.	(Signature)	(Date)
	Evaluator Remarks		
		(Signature)	(Date)

AREA 4.3 ACTION OPTIONS – LEAK CONTROL No. Requirement				
4.3.2	Given a simulated hazardous materials incident involving a leak(s) from bulk and non-bulk containers, demonstrate the ability to properly select the necessary tools, materials and equipment to perform offensive leak control activities.	(Circottus)		
4.3.3	Given a pressure vessel, select the appropriate tools and equipment and demonstrate the ability to perform control activities for leaks from:	(Signature)	(Date	
	a) Open valves, missing or loose plugsb) Fusible plug (metal and threads).			

4.3.4 Given a leaking 55 gallon drum, demonstrate the ability to control the following types of leaks:

e) Valve stem assembly blowout

d) Valve blowout, gland, inlet threads and

a) Bung or chime leak

c) Side wall of container

Technician:

b) Forklift and nail punctures

(Signature)

(Signature)

Date: / /

__/_/ (Date)

(Date)

- 4.3.5 Given a leaking 55 gallon drum, demonstrate the ability to safely perform the following over-packs:
 - a) Rolling slide-in
 - b) Slide-in
 - c) Slip-over

(Signature)

__/__/ (Date)

4.3.6 Given a leak from the dome of a MC306/DOT406, demonstrate the ability to properly apply a dome clamp.

(Signature)

(Signature)

__/__/ (Date)

4.3.7 Demonstrate the ability to properly stabilize, bond and ground a container prior to operations or product transfer.

__/__/_ (Date)

AREA 4.3 ACTION OPTIONS – LEAK CONTROL				
No.	Requirement			
4.3.8	Identify common methods for product transfers involving MC306/DOT406, MC307/DOT407, MC312/DOT412, MC331 and MC338 cargo tanks.	(Signature)	/_/ (Date)	
4.3.9	Demonstrate the ability to properly use any product transfer equipment provided by the employer in accordance with the employers emergency response plan and the manufacturer's recommendations.	(Cian atura)		
4.3.10	Demonstrate the ability to control each of the following leak types:	(Signature)	(Date)	
	 a) Dome cover leak b) Irregular shaped hole c) Puncture d) Split or tear 			
4.3.11	Demonstrate an understanding of and the ability to apply the safety precautions necessary for	(Signature)	(Date)	
	product transfer operations.	(Signature)	(Date)	
	Evaluator Remarks			
	-			
		(Signature)	(Date)	

Technician:

Date: ____/___

AREA 4.4 ACTION OPTIONS – FIRE CONTROL				
No.	Requirement			
4.4.1	Demonstrate the ability to obtain product fire control information from at least three references.	(Signature)	//_ (Date)	
4.4.2	Given a hazardous materials incident involving fire or potential for fire, demonstrate the ability to			
	develop a fire prevent/control plan.	(Signature)	(Date)	
4.4.3	Demonstrate the ability to control ignition sources (including static electric sources) at an incident involving flammable/combustible liquids and gases.		, ,	
		(Signature)	//_ (Date)	
4.4.4	Given a two dimensional flowing fuel fire, demonstrate the ability to calculate the square footage fire area.		1 1	
		(Signature)	(Date)	
4.4.5	Given a two dimensional liquid fire involving spilled product flowing and/or a open container fire (i.e. open floating roof tank) and manufacturer data for the foam(s) provided for use by the employer, the technician will demonstrate the			
	ability to properly calculate the appropriate application rates for fire control operations.			
		(Signature)	(Date)	
	Evaluator Remarks			
	_			
		(Signature)	(Date)	

COMPETENCY CHECKLIST INCIDENT TERMINATION

Technician:		Date://			
AREA 5.1 INCIDENT TERMINATION – TERMINATION AND DOCUMENTATION					
No.	Requirement				
5.1.1	Given various simulated or actual incidents, participate in an on-scene incident debriefing and incident critique.	(Signature)	/_/ (Date)		
5.1.2	During participation in the debriefing and critique, provide information concerning operational observations and activities taken at the incident.	(Signature)			
5.1.3	Demonstrate the ability to properly complete incident documentation reports as required by the employer's emergency response plan and operational procedures.	(Signature)	<i>//</i> (Date)		
5.1.4	Demonstrate the ability to properly complete post incident exposure documentation as required by the employer's emergency response plan.	(Signature)	// (Date)		
5.1.5	Demonstrate the ability to properly document equipment and PPE use in accordance with manufacturer recommendations and the employer's emergency response plan.	(Signature)	<i>//</i> (Date)		
	Evaluator Remarks	` '	(Dato)		

(Signature)

(Date)

COMPETENCY CHECKLIST INCIDENT TERMINATION